

Detailed Action

Pre-Exam Formalities

1. Examiner notes the set of claims dated 12/28/2009 are not in proper form, but to advance prosecution the claims will be reviewed. Upon placing a call to the applicant examiner was informed claims on pages 16-18 are meant for review.

Specification Objections

2. Examiner objects to the applicant not including the application number the current case claims benefit from. Further Examiner request clarification that the parent case was pending when this CIP was filed.

Drawing Objections

3. The drawings are objected to because each element is not labeled nor explained in the specification. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the

drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Objections

4. Claims 1-9, 11-13, and 15-18 are objected to because of the following informalities: Examiner notes the steps labeled start at y) when there is no a) step. Further applicant in claim 17 claims a "SWIFT" protocol without explaining what such a protocol is. Appropriate correction is required.

Claim Rejections- 35 U.S.C. 101

5. 35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

Claim 18 is rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter. A procedure must be completed on a structure in order to be statutory. Appropriate correction is required.

Claim Rejections- 35 U.S.C. 112 2nd Paragraph

6. Claim element “a means for reporting daily account statement” is a means (or step) plus function limitation that invokes 35 U.S.C. 112, sixth paragraph. However, the written description fails to disclose the corresponding structure, material, or acts for the claimed function.

Applicant is required to:

(a) Amend the claim so that the claim limitation will no longer be a means (or step) plus function limitation under 35 U.S.C. 112, sixth paragraph; or

(b) Amend the written description of the specification such that it expressly recites what structure, material, or acts perform the claimed function without introducing any new matter (35 U.S.C. 132(a)).

If applicant is of the opinion that the written description of the specification already implicitly or inherently discloses the corresponding structure, material, or acts so that one of ordinary skill in the art would recognize what structure, material, or acts perform the claimed function, applicant is required to clarify the record by either:

(a) Amending the written description of the specification such that it expressly recites the corresponding structure, material, or acts for performing the claimed function and clearly links or associates the structure, material, or acts to the claimed function, without introducing any new matter (35 U.S.C. 132(a)); or

(b) Stating on the record what the corresponding structure, material, or acts, which are implicitly or inherently set forth in the written description of the specification, perform the claimed function. For more information, see 37 CFR 1.75(d) and MPEP §§ 608.01(o) and 2181.

7. Claims 1-9, 11-13, and 15-18 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. Applicant in claim 1 invokes numerous statutory classes and it is unclear what the applicant is claiming.

Claim Rejections

8. The examiner requests applicant correct the claims before a review is made on the merits. Examiner request applicant call examiner to discuss the claim language and to explain the invention.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to JAMES A. VEZERIS whose telephone number is (571)270-1580. The examiner can normally be reached on Monday-alt. Fridays 7:30am-5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, James Kramer can be reached on 571-272-6803. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/James A. Kramer/
Supervisory Patent Examiner, Art Unit 3693

/JAMES A VEZERIS/
Examiner, Art Unit 3693

3/26/2010